



1/6




Fig. 1.
(PRIOR ART)



Robert T. Loftus
Attorney Docket No. BOEI-1-1005
OPPOSING CONICAL PRELOADED ELASTOMERIC BEARING
ASSEMBLY (Amended)
Filed on April 18, 2003
Sheet 2 of 6
Black Lowe & Graham, PLLC
(206) 381-3300

2/6




Fig. 2.



Robert L. Loftus
Attorney Docket No. BOEI-1-1005
OPPOSING CONICAL PRELOADED ELASTOMERIC BEARING
ASSEMBLY (Amended)
Filed on April 18, 2003
Sheet 3 of 6
Black Lowe & Graham, PLLC
(206) 381-3300

3/6






Fig. 3.



Robert T. Loftus
 Attorney Docket No. BOEI-1-1005
 OPPOSING CONICAL PRELOADED ELASTOMERIC BEARING
 ASSEMBLY (Amended)
 Filed on April 18, 2003
 Sheet 4 of 6
 Black Lowe & Graham, PLLC
 (206) 381-3300





Robert T. Loftus
Attorney Docket No. BOEI-1-1005
OPPOSING CONICAL PRELOADED ELASTOMERIC BEARING
ASSEMBLY (Amended)
Filed on April 18, 2003
Sheet 5 of 6
Black Lowe & Graham, PLLC
(206) 381-3300

5/6




Fig. 6.



Robert T. Loftus
Attorney Docket No. BOEI-1-1005
OPPOSING CONICAL PRELOADED ELASTOMERIC BEARING
ASSEMBLY (Amended)
Filed on April 18, 2003
Sheet 6 of 6
Black Lowe & Graham, PLLC
(206) 381-3300

6/6




Fig. 7.




Fig. 8.